

grandMA3 onPC 2Port Node DIN-Rail 2k

Art.-No. 4023579



Are you looking for a DMX node in your theater, TV studio, house of worship or other installation? The grandMA3 onPC xPort Nodes DIN-Rail are the perfect solution for you! The nodes fulfill two different tasks: They convert Ethernet data to DMX and they can add parameters to your grandMA3 onPC system.

The optimized DIN-Rail housing allows you an easy and timesaving mounting in your installation rack. A big advantage: you can power the node completely via PoE (Power over Ethernet). So you do not need any additional power cabling!

The grandMA3 onPC 2Port Node DIN-Rail 2k offers you two DMX outputs as 3pin PCB connectors, and it enables 4 096 parameters - the maximum for your grandMA3 onPC system!

A few more facts? All grandMA3 onPC xPort Nodes can handle MA-Net3, MA-Net2, sACN and Art-Net data. They are fully RDM compliant and have a 3.9" color display on the front for easy configuration and status overview.

The configuration of your nodes can be easily done via the grandMA3 onPC software. And do not forget - the grandMA3 onPC software offers the same features as the larger consoles. So you get a small, compact and affordable control system without compromising on features for your show!

Scope of delivery

| Art.-No. | Article | Quantity |
|----------|---|----------|
| 4025837 | MA Quick Manual for grandMA3 Nodes DIN-Rail | 1 |

1x connector for power supply (MC 1,5/ 3-ST1-5,08), Art.No. 4022468

2x connector for DMX/MIDI/LTC (FK-MC 0,5/ 3-ST-2,5), Art.No. 4022469

Technical Specifications

| | |
|--|--|
| Parameters | 4 096 (HTP/LTP) |
| Parameters Mode2 | 1 024 (HTP/LTP) |
| Operating voltage/ Supply voltage | AC 100 - 240 V; 50/60 Hz PoE (IEEE 802.3af; 48 V DC/max. 12 W) |
| Power | max. 15 VA |
| Operating Temperature | -10 °C up to 50 °C / 14 °F up to 122 °F |
| Dimensions | 150 x 50 x 90 mm / 6 x 2 x 4 in (width x depth x height) |
| Net weight | 1 kg / 3 lbs |
| Connectors | 1 x Power (3pin PCB connector) 1 x Ethernet/RJ45 2 x DMX512-A Out (3pin PCB connector) 1 x USB 2.0 (type A) |

Article

| Art.-No. | Article |
|----------|--------------------------------------|
| 4023579 | grandMA3 onPC 2Port Node DIN-Rail 2k |

Accessories

| Art.-No. | Article |
|----------|---|
| 4021729 | Adapter cable set for grandMA3 2Port Node DIN-Rail, DMX via XLR 5pin, (2x cable DMX/XLR5 (length 0.5m), 1x cable RJ45, 1x built-in socket etherCON/ RJ45 to RJ45) |
| 4021732 | Adapter cable set for grandMA3 2Port Node DIN-Rail, DMX via RJ45, (2x cable DMX/RJ45 (length 0.5m), 1x cable RJ45, 1x built-in socket etherCON/ RJ45 to RJ45) |

More product pictures

